

FAXE Oil Thinner 0600 07335

Replaces date: 29/10/2019 Revision date: 19/12/2022

Version: 10.0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: FAXE Oil Thinner 0600 07335

UFI: HC7Y-FWW1-XJ5A-WW24

Article no

Article no	Description
060007335	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Thinning of Wood Care Oil.

Inadvisable uses: The product is recommended for only the above described uses.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: **EFApaint A/S** Address: Energivej 13 Zip code: DK-6700 City: Esbjerg Country: **DENMARK** E-mail: info@efapaint.dk 0045 75 12 86 00 Phone: Fax: 0045 75 45 33 68 Homepage: www.efapaint.dk

1.4. Emergency Telephone Number

(0044) 111 (NHS 111)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Asp. Tox. 1;H304

Most serious harmful effects: May be fatal if swallowed and enters airways.



FAXE Oil Thinner 0600 07335

Revision date: 19/12/2022

Version: 10.0.0

2.2. Label elements

Pictograms



Signal word: Danger

Contains

Substance: Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics

Hazard statements

H304 May be fatal if swallowed and enters airways.

Supplemental information

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

The product does not contain any endocrine disruptors, PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics		100 %		Asp. Tox. 1;H304 EUH066

Please see section 16 for the full text of H- / EUH-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: If patient feels unwell move to fresh air and keep under surveillance. If the victim is

unconscious, ascertain whether the victim is breathing. If breathing has stopped, apply artificial respiration. If the victim is unconscious but breathing, place in the recovery position

and keep warm with blankets. Call for medical attention or ambulance.

Ingestion: Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach

vomit doesn't enter the lungs. Get medical attention immediately!

Skin contact: Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove

clothing if soaked through and wash as above. Do not use solvents.

Eye contact: Flush immediately with lukewarm water (preferably using eye wash equipment) for at least

15 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.

General: If in doubt, seek medical advice. Also see para. 1

4.2. Most important symptoms and effects, both acute and delayed

Pain in the eyes, redness, tears, swollen eyelids, itching Headache, dizziness, drowsiness and nausea.

4.3. Indication of any immediate medical attention and special treatment needed

By ingestion the material can give chemical lung inflammation, which needs treatment.



FAXE Oil Thinner 0600 07335

Revision date: 19/10/2019

Version: 10.0.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Fire can be extinguished with carbon dioxide, powder, foam or water spray.

Unsuitable extinguishing

Do not use a direct water jet that could spread the fire.

media:

5.2. Special hazards arising from the substance or mixture

Avoid inhaling of waste gases. Combustion will generate harmful gases, as combustion residues and carbon monoxide.

5.3. Advice for firefighters

Cool closed containers with water. Fire will produce a thick black smoke. Products of combustion are harmful and respiratory protection is required.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Avoid inhalation of vapours. Remove all ignition sources and ensure sufficient ventilation.

For emergency responders: Use nitrile protection gloves and self-contained breathing apparatus.

6.2. Environmental precautions

Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains.

6.3. Methods and material for containment and cleaning up

Prevent major quantities of spillage from being discharged into the sewage system or water by banking the spillage with sand or the like and collecting it. Clean the contaminated area with a suitable cleaning agent, but do not use solvent.

6.4. Reference to other sections

Also see item 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

The product may be charged electrostatically. Always use underground wire when transferring from one container to another. Personnel should wear antistatic shoes and clothing. Floors should be conductive. Do not use tools which may produce sparks. Avoid contact with eyes and skin. Avoid inhaling vapors and spray mists. Vapors may form explosive mixtures with air. Prevent the formation of flammable or explosive mixtures. Do not use this material near naked flames or any other ignition source. Electrical installations must be protected according to regulations.

7.2. Conditions for safe storage, including any incompatibilities

The product must be kept away from children. Store in a tightly closed container and in accordance with the current regulations in a dry and well-ventilated place away from food. Keep away from ignition sources, oxidizing agents and strong acidic and basic substances. No smoking and use of open fire. No admittance to unauthorized persons. Opened containers must be carefully closed and stored upright to prevent any leakage.

7.3. Specific end use(s)

Applications is mentioned in item 1.2.

Other Information: Smoking and the consumption of food and drink are not permitted in work rooms. Personal

protective equipment: Refer to section 8.



FAXE Oil Thinner 0600 07335

Replaces date: 29/10/2019 Revision date: 19/12/2022

Version: 10.0.0

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Comments
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics	8h	25	180			

Legal basis: EH40/2005 Workplace exposure limits incl. supplement from October 2007.

Biological threshold values: DNEL - Values are missing. PNEC - Values are missing.

Other Information: See above.

8.2. Exposure controls

Appropriate engineering

controls:

All work must be planned with a view to limit the breathing of fumes and the exposure to the skin. Work under effective process ventilation (e.g. local exhaust ventilation). If this is

not possible, use respiratory protection.

eye/face protection:

Personal protective equipment, Use suitable protective goggles or full face mask for protection against splashes.

skin protection:

Personal protective equipment, If possible, wear special work clothes. When spraying wear coveralls.

hand protection:

Personal protective equipment, Use nitrile protection gloves. A 15-mil thickness glove provides a 8 hour breakthrough-time.

Follow the glove manufacturer's recommendations on use and replacement.

respiratory protection:

Personal protective equipment, With insufficient ventillation use respirator with filter type A.

Environmental exposure

controls:

It must be ensured that local regulations for discharge are met.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

or in the property of the contract of the cont	··· ··································					
Parameter	Value/unit					
State	Liquid					
Colour	Colourless.					
Odour	Odour of organic solvent.					
Solubility	Soluble in: Organic solvents.					

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	0.70 - 5	
Flash Point	> 62 °C	
Auto-ignition temperature	No data	
Decomposition temperature	No data	



FAXE Oil Thinner 0600 07335

Replaces date: 29/10/2019 Revision date: 19/12/2022

Version: 10.0.0

	VOIGION: 10.0.
No data	
0.76 g/ml	
No data	
	No data No data No data No data No data No data O.76 g/ml No data No data No data

9.2. Other information

Parameter	Value/unit	Remarks
Fire class	III-1	
Weight % organic solvents	100	
VOC (g/liter)	760	

Other Information: Solubility in water: Insoluble in water. Fat solubility: irrelevant

SECTION 10: Stability and reactivity

10.1. Reactivity

See below.

10.2. Chemical stability

Stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Ignitable at temperatures above the flash point. The fumes can ignite by e.g. a spark, a warm surface or a glow. The fumes can mix to explosive mixtures with air. At room temperature the fumes are more heavily than air and can spread along the floor.

10.4. Conditions to avoid

Stable at normal temperature. When exposed to high temperatures, toxic decomposition products may be formed.

10.5. Incompatible materials

To prevent heat-generating reactions, keep the product away from oxidizing agents and strong acidic and basic substances.

10.6. Hazardous decomposition products

carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics, EC-no 927-285-2

•			· ·			
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 5000 mg/kg bw			

Aspiration during vomiting or ingestion may cause chemical pneumonia. Ingestion of large quantities may cause gastrointestinal disorders.

Acute toxicity - dermal



FAXE Oil Thinner 0600 07335

Replaces date: 29/10/2019 Revision date: 19/12/2022

Version: 10.0.0

Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics, EC-no 927-285-2

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 5000 mg/kg bw			

Organic solvents have a degreasing effect on the skin. Organic solvents may be absorbed through skin.

Acute toxicity - inhalation

Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics, EC-no 927-285-2

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50	4 h	> 5 mg/l			

Inhalation of vapors may cause symptoms of poisoning such as memory and concentration difficulties, abnormal tiredness, irritability and, in extreme cases, unconsciousness. Protracted inhalation in high concentrations may cause permanent damage to the central nervous system.

Skin corrosion/irritation: Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye

irritation:

Splashing into eyes may cause smarting/irritation.

Respiratory sensitisation or skin sensitisation:

No known hazards.

Germ cell mutagenicity: Would not be expected germ cell mutagen

Carcinogenic properties: Not expected to cause cancer.

Reproductive toxicity: Would not be expected to be a reproductive toxicant.

Single STOT exposure: No known hazards.

Repeated STOT exposure: No known hazards.

Aspiration hazard: May be fatal if swallowed and enters airways.

11.2. Information on other hazards

Endocrine disrupting

properties:

No known information.

SECTION 12: Ecological information

12.1. Toxicity

Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics, EC-no 927-285-2

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Acute fish	Oncorhynchus mykiss	96 h	LL50	> 1000 mg/l			
TACHTE AIGAE	Raphidocelis subcapitata	72 h	EL50	> 1000 mg/l			
Acute daphnia	#Not translated#	48 h		> 1000 mg/l			

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available



FAXE Oil Thinner 0600 07335

Replaces date: 29/10/2019 Revision date: 19/12/2022

Version: 10.0.0

12.4. Mobility in soil

The product is insoluble in water and will spread out on the surface.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

No known information.

12.7. Other adverse effects

No information available

Other Information

Do not dispose of this product in drains, watercourses, or on the ground.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water.

Product residues are classified as chemical waste.

Waste-code: 08 01 11 Category of waste:

SECTION 14: Transport information

14.1. UN number or ID number: Not applicable. Not applicable. 14.4. Packing group: 14.2. UN proper shipping Not applicable. 14.5. Environmental Not applicable.

hazards:

name:

Not applicable.

14.3. Transport hazard class(es):

14.6. Special precautions for user

Irrelevant.

14.7. Maritime transport in bulk according to IMO instruments

Irrelevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

•	•		
Version	Revision date	Responsible	Changes
10.0.0	19/12/2022	GK	1, 2, 3, 9, 11, 12
9.0.0	29/10/2019	GK	2, 3, 8, 11, 12, 13, 16
8.0.0	29/08/2016	GK	9, 11, 13
7.0.0	29/05/2015	GK	2, 8
6.0.0	21/03/2014	GK	2, 8, 13, 16



FAXE Oil Thinner 0600 07335

Replaces date: 29/10/2019 Revision date: 19/12/2022

Version: 10.0.0

5.0.0 | 04/01/2013 | GK | REACH datasheet

Abbreviations: DNEL: Derived No Effect Level. PNEC: Predicted No Effect Concentration.

References to literature and

data sources:

REACH: REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. CLP:

REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on

classification, labelling and packaging of substances and mixtures.

Other Information: The information in this Material Safety Data Sheet is based upon our knowledge and on

European Union legislation. The user's working conditions are outside our control. It is the responsibility of the users to fulfil the requirements set by National Legislation. The information is no guarantee of the properties of the product. The Material Safety Data

Sheet may only be reproduced with the permission of the manufacturer.

Training advice: The instructions in this Material Safety Data Sheet are given on the assumption that the

product is used as stated in item 1. Restrictions of use and special training requirements must also be complied with. The information in this Material Safety Data Sheet should be

regarded as a description of the safety issues concerning the product.

Hazard statements

H304 May be fatal if swallowed and enters airways.

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

Country: GB